

L Number	Hits	Search Text	DB	Time stamp
1	500	(filesystem or (file adj system)) and (data adj file) and (local\$3 adj2 (filesystem or (file adj system)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:47
2	61	((filesystem or (file adj system)) and (data adj file) and (local\$3 adj2 (filesystem or (file adj system)))) and encrypt\$6 and authoriz\$6 and identification and key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:47
3	16	((((filesystem or (file adj system)) and (data adj file) and (local\$3 adj2 (filesystem or (file adj system)))) and encrypt\$6 and authoriz\$6 and identification and key) and (707/9.ccls. or 713/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:47
4	39348	707/\$.ccls. or 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:47
5	3090	(707/\$.ccls. or 713/\$.ccls.) and encrypt\$6 and authoriz\$6 and identification and key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:47
7	25	((((707/\$.ccls. or 713/\$.ccls.) and encrypt\$6 and authoriz\$6 and identification and key) and (filesystem or (file adj system)) same (local\$3 adj2 (filesystem or (file adj system)))) and ((media adj2 package) or ((huge or large) adj2 volume) or (data adj file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:49
6	39	((707/\$.ccls. or 713/\$.ccls.) and encrypt\$6 and authoriz\$6 and identification and key) and (filesystem or (file adj system)) same (local\$3 adj2 (filesystem or (file adj system)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 07:08
8	38	((((707/\$.ccls. or 713/\$.ccls.) and encrypt\$6 and authoriz\$6 and identification and key) and (filesystem or (file adj system)) same (local\$3 adj2 (filesystem or (file adj system)))) and (server or (database adj server)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 06:57
9	37	((((707/\$.ccls. or 713/\$.ccls.) and encrypt\$6 and authoriz\$6 and identification and key) and (filesystem or (file adj system)) same (local\$3 adj2 (filesystem or (file adj system)))) and (server or ((database or (data adj base)) adj server)) and (client same server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 07:06
10	4	((((707/\$.ccls. or 713/\$.ccls.) and encrypt\$6 and authoriz\$6 and identification and key) and (filesystem or (file adj system)) same (local\$3 adj2 (filesystem or (file adj system)))) and (server or ((database or (data adj base)) adj server)) and (client same server)) and symmetric adj2 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 07:08
11	953	(707/\$.ccls. or 713/\$.ccls.) and symmetric adj2 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 07:08
12	821	(707/\$.ccls. or 713/\$.ccls.) and (symmetric adj2 key) same encrypt\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 07:08
13	12	((707/\$.ccls. or 713/\$.ccls.) and (symmetric adj2 key) same encrypt\$6) and (filesystem or (file adj system)) same (local\$3 adj2 (filesystem or (file adj system)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 07:08

L Number	Hits	Search Text	DB	Time stamp
1	23751	encrypt\$6 near3 (form or file or key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:33
2	7807	encrypt\$6 near3 (form or file or key) and crypto\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:33
3	8015	encrypt\$6 near3 (form or file or key) and crypt\$10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:34
4	6937	encrypt\$6 near3 (form or file or key) and (crypt\$10 same (approach\$5 or method or encrypt\$5 or symmetric or asymmetric))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:39
5	533	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 or (format near4 structur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:40
6	18	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 or (format near4 structur\$4))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:40
7	7061	encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:42
8	142	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:48
9	0	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and 707/\$.ccls.) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 and (format near4 structur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:41
10	18	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and 707/\$.ccls.) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 or (format near4 structur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:49
11	14	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and 707/\$.ccls.) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 or (format near4 structur\$4))) and (encrypt\$5 same (symmetric or asymmetric))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:46
12	11	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and 707/\$.ccls.) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 and (format or structur\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:46
14	11	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and 707/\$.ccls.) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 and (format or structur\$4))) and ((symmetric or asymmetric))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:47

13	11	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls.) and (interchang\$4 or remov\$3 or attach\$4 or exchang\$5) same (transform\$6 and (format or structur\$4))) and (encrypt\$5 same (symmetric or asymmetric)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:51
15	142	(encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 731/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:48
16	3040	(encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:48
17	0	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5) with action) same (transform\$6 or (format near4 structur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:50
18	0	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5) with action) same (transform\$6 and (format or structur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:50
19	65	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:50
20	52	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric or asymmetric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:51
21	23	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric and asymmetric)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:52
22	13	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric and asymmetric)) and ((data adj file) or video or sound or email or (electronic\$4 near3 (mail or document or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:54
23	13	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric and asymmetric)) and ((data adj file) or ((video and sound) adj3 file) or email or (electronic\$4 adj2 (mail or document or message or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 11:00
24	6	((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric and asymmetric)) and ((data adj file) or ((video and sound) adj3 file) or email or (electronic\$4 adj2 (mail or document or message or file)))) and client and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 10:56

25	12	((((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric and asymmetric)) and ((data adj file) or ((video and sound) adj3 file) or email or (electronic\$4 adj2 (mail or document or message or file)))) and (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 11:01
26	11	((((encrypt\$6 near3 (form or file or key) and (crypt\$10 same (technique or approach\$5 or method or encrypt\$5 or symmetric or asymmetric))) and (707/\$.ccls. or 713/\$.ccls.)) and ((interchang\$4 or remov\$3 or attach\$4 or exchang\$5)) same (transform\$6 and (format or structur\$4))) and (symmetric and asymmetric)) and ((data adj file) or ((video and sound) adj3 file) or email or (electronic\$4 adj2 (mail or document or message or file)))) and (database or (data adj base))) and video and (sound or audio)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 11:01